

Bibliography

- Bazavov, A. and Berg, B.A. (2009). *Program Package for Multicanonical Simulations of the U(1) Lattice Gauge Theory*, Comp. Phys. Comm. **180**: 2339–2347; **184**: 1075–1076.
- Berg, B.A. and Neuhaus, T. (1991). *Multicanonical Algorithms for First Order Phase Transitions*, Phys. Lett. B **267**: 249–253.
- Berg, B.A. and Neuhaus, T. (1992). *Multicanonical Ensemble: A New Approach to Simulate First-Order Phase Transitions*, Phys. Rev. Lett. **68**: 9–12.
- Berg, B.A. and Celik, T. (1992). *A New Approach to Spin Glass Simulations*, Phys. Rev. Lett. **69**: 2292–2295.
- Berg, B.A., Hansmann, U.H. and Neuhaus, T. (1993). *Properties of Interfaces in the Two and Three Dimensional Ising Model*, Z. Phys. B **90**: 229–239.
- Berg, B.A., Celik T. and Hansmann, U.H. (1994). *Groundstate Properties of the 3D Ising spin glass*, Phys. Rev. B **50**: 16444–16452.
- Berg, B.A. (1996). *Multicanonical Recursions*, J. Stat. Phys. **82**: 323–342.
- Berg, B.A. and Janke, W. (1998). *Multioverlap Simulations of the 3D Edwards-Anderson Spin Glass*, Phys. Rev. Lett. **80**: 4771–4774.
- Berg, B.A., Billoire, A. and Janke, W. (2000). *Spin-glass Overlap Barriers in three and four Dimensions*, Phys. Rev. B **61**: 12143–12150.
- Binder, K. (1982). *The Monte Carlo Calculation of the Surface Tensions for Two- and Three-Dimensional Lattice-Gas Models*, Phys. Rev. A **25**: 1699–1709.
- Borgs, C. and Janke, W. (1992). *An Explicit Formula for the Interface Tension of the 2D Potts Model*, J. Phys. I France **2**: 2011–2018.
- Ferrenberg, A.M. and Swendsen, R.H. (1988). *New Monte Carlo Technique for Studying Phase Transitions*, Phys. Rev. Lett. **61**: 2635–2638; **63**: 1658.
- Geyer, G.J. (1991). *Markov Chain Monte Carlo Maximum Likelihood*, in *Computing Science and Statistics*, Proceedings of the 23rd Symposium on the Interface, Keramidas, E.M. (editor), Interface Foundation, Fairfax, Virginia, pp. 156–163.
- Hansmann, U.H. and Okamoto, Y. (1993). *Prediction of Peptide Conformation by Multicanonical Algorithm: New Approach to the Multiple-Minima Problem*, J. Comp. Chem. **14**: 1333–1338.
- Hansmann, U.H. (1997). *Parallel tempering algorithm for conformational studies*

- of biological molecules*, Chem. Phys. Lett. **281**: 140–150.
- Hansmann, U.H. and Okamoto, Y. (1999). *Finite-size scaling of helix-coil transitions in poly-alanine studied by multicanonical simulations*, J. Chem. Phys. **110**: 1267–1276; erratum **111**: 1339.
- Hansmann, U.H. and Nadler, W. (2007). *Generalized Ensemble and Tempering Simulations: A Unified View*, Phys. Rev. E **75**: 026109.
- Janke, W., Berg, B.A. and Katoot, M. (1992). *Monte Carlo Calculation of the Surface Free Energy for the two-dimensional 7-state Potts model, and an Estimate for four-dimensional SU(3) Gauge Theory*, Nucl. Phys. B **382**: 649–661.
- Jiang, P., Yasar, F. and Hansmann, U.E.H. (2013). *Sampling of Protein Folding Transitions: Multicanonical Versus Replica Exchange Molecular Dynamics*, J. Chem. Theor. Comp. **9**: 3816–3825.
- Li, Z. and Scheraga, H.A. (1988). *Structure and Free Energy of Complex Thermodynamic Systems*, J. Mol. Struct. (Theochem) **179**: 333–352.
- Lyubartsev, A.P., Martsinovski, A.A., Shevkunov, S.V. and Vorontsov-Velyaminov, P.N. (1992). *New Approach to Monte Carlo Calculation of the Free Energy: Method of Expanded Ensembles*, J. Chem. Phys. **96**: 1776–1783.
- Marinari, E. and Parisi, G. (1992). *Simulated Tempering: A New Monte Carlo Scheme*, Europhys. Lett. **19**: 451–458.
- Min, D., Li, H., Li, G., Bitteti-Putzer, and Yang, W. (2006). *A Synergistic Approach to Improve “Alchemical” Free Energy Calculations in Rough Energy Landscapes*, J. Chem. Phys, in press.
- McDonald, I.R. and Singer, K. (1967). *Calculation of Thermodynamic Properties of Liquid Argon from Lennard-Jones Parameters by a Monte Carlo Method*, Discussions Faraday Soc. **43**: 40–49.
- Hukushima, K. and Nemoto, K. (1996). *Exchange Monte Carlo Method and Applications to Spin Glass Simulations*, J. Phys. Soc. Japan **65**: 1604–1608.
- Neuhaus, T. and Hager, J.S. (2003). *2D Crystal Shapes, Droplet Condensation and Supercritical Slowing Down in Simulations of First Order Phase Transitions*, J. Stat. Phys. **113**: 47–83.
- Potvin, J. and Rebbi, C. (1989). *Simple and Efficient Procedure for the Monte Carlo Calculation of the Surface Free Energy in Coexisting Phases* Phys. Rev. Lett. **26**: 3062–3064.
- Salsburg, Z.W., Jacobson, J.D., Fickett, W.S. and Wood, W.W. (1959). *Applications of the Monte Carlo Method to the Lattice-Gas Model. I. Two-Dimensional Triangular Lattice*, J. Chem. Phys. **30**: 65–72.
- Schierz, P., Zierenberg, J. and Janke, W. (2015). *Molecular Dynamics and Monte Carlo Simulations in the Microcanonical Ensemble: Quantitative Comparison and Reweighting Techniques*, J. Chem. Phys. **143**: 134114.
- Sugita, Y. and Okamoto, Y. (1986). *Replica-exchange Molecular Dynamics Method for Protein Folding*, Chem. Phys. Lett. **314**: 141–151.
- Swendsen, R.H. and Wang, J.-S. (1986). *Replica Monte Carlo Simulations of Spin Glasses*, Phys. Rev. Lett. **57**: 2607–2609.
- Torrie, G.M. and Valleau, J.P. (1977). *Nonphysical Sampling Distributions in*

- Monte Carlo Free-energy Estimation: Umbrella Sampling*, J. Comp. Phys. **23**: 187–199.
- Trebst, S., Huse, D.A. and Troyer, M. (2004). *Optimizing the ensemble for equilibration in broad-histogram Monte Carlo simulations*, Phys. Rev. E **70**: 046701.
- Valleau, J.P. and Card, D.N. (1972). *Monte Carlo Estimation of the Free Energy by Multistage Sampling*, J. Chem. Phys. **37**: 5457–5462.
- Vogel, T. and Perez, D. (2015). *Towrds and Optimal Flow: Density-of-States-Informed Replica-Exchange Simulation*, Phys. Rev. Lett. **115**: 190602.
- Wang, F. and Landau, D.P. (2001). *Efficient, Multiple-Range Random Walk Algorithm to Calculate the Density of States*, Phys. Rev. Lett. **86**: 2050–2053.
- Zierenberg, J., Fytas, N.G. and Janke, W. (2015). *Parallel Multicanonical Study of the three-dimensional Blume-Capel Model*, Phys. Rev. E **91**: 032126.